



WYSE 5060 THIN CLIENT

High-powered thin client

The Wyse 5060 is a highly efficient thin client with excellent multimedia capabilities and essential peripheral support, delivering an excellent virtual desktop experience, with extreme ease of use & management. It incorporates a high performance AMD 2.4GHz quad core processor and supports dual 4K displays for graphics-rich applications. The Wyse 5060 offers robust connectivity options with 6 USB ports, two of which are USB 3.0, wired and wireless network connections.



Enhanced security and user experience

Available with Windows Embedded Standard 7P, Windows 10 IoT and Wyse ThinLinux, the Wyse 5060 offers enhanced security with virus-resistant Wyse ThinOS operating system to minimize viruses, malware, and patching. It supports a variety of virtual desktop brokers including Citrix XenDesktop, VMware Horizon and Microsoft RDS, and meets a broad and diverse range of user, applications and operating requirements including optional PCoIP support that enables connection to Amazon WorkSpaces (AWS). With support for unified communications solutions like Skype for Business, the Wyse 5060 thin client delivers the flexibility, efficiency and security organizations require for their cloud environments.

Easy to manage, highly scalable

The Wyse 5060 thin client is easily managed through Wyse Management Suite, Wyse Device Manager (WDM) and Microsoft's System Center Configuration Manager (SCCM). Administration scales from just a few to tens of thousands of thin clients. For enhanced security, optional Advanced Threat Protection in the form of Dell Threat Defense offers proactive malware protection on both virtual desktops and WES endpoints themselves, respectively.

With Wyse thin clients, customers get access to a complete services portfolio including Deployment Services, ProSupport and Accidental Damage service, and with Dell business partners, end-to-end support throughout the product lifecycle

Learn More: Visit www.dell.com/wyse

Ask a Dell expert:
<https://marketing.dell.com/t2d-wyse>

Dell Cloud Client-Computing Sales
1-800-438-9973
CCC_sales@dell.com

WYSE 5060 THIN CLIENT SPECIFICATIONS

OPERATING SYSTEM	Wyse ThinOS and Wyse ThinOS with PCoIP Wyse ThinLinux Windows Embedded Standard 7 Pro (64bit) (with WIE10 license) Windows 10 IoT Enterprise (64bit)
CPU	2nd Generation AMD Embedded G-Series SoC (GX-424CC SOC Quad Core 2.4 GHz)
MEMORY CONFIGURATION 3, 4	ThinOS: 8 / 16 / 32GB Flash & 4GB RAM DDR3 ThinLinux: 16GB Flash & 4GB RAM DDR3 WES7P: 64GB Flash & 8GB RAM DDR3 Win10 IoT: 64GB Flash & 8GB RAM or 32GB Flash & 4 / 8GB RAM DDR3
I/O PERIPHERAL SUPPORT	4 x USB 2.0 2 x USB 3.1 1 x universal headset jack 2 x DisplayPort 1.2 2 x Dual Band 802.11a/b/g/n/ac wireless antenna Bluetooth 4.0 (with WiFi option)
SECURITY	Built-in Kensington Security Slot (cable sold separately) TPM 1.2 with WES7P and TPM 2.0 with Windows 10 IoT Optional Dell Threat Defense
NETWORKING	10/100/1000Mbps Ethernet (RJ45) Optional Intel 7265 802.11 a/b/g/n/ac dual band wireless with Bluetooth 4.0, external antennas Wake on LAN
AUDIO	Integrated Speakers. Universal headset jack
RESOLUTION	Dual display up to 3840x2160 @ 30Hz or 2560x1600 @ 60Hz
POWER CONSUMPTION	Under 25 watts (idle)
TEMPERATURE RANGE	Operating: 32°to 104°F (10°to 40°C). Storage: 14°to 140°F (-10°to 60°C)
HUMIDITY	20% to 80% condensing. 10% to 95% non-condensing
DIMENSIONS	Height 170 mm x Width 40 mm x Depth 185 mm (without stand)
WEIGHT	0.93kg (2.05 lb.)
WARRANTY	Three-year limited hardware warranty
SUPPORT AND DEPLOYMENT	Complete services portfolio including Deployment Services, Optional Dell ProSupport for premium support from expert technicians and 24x7 availability ¹ and Accidental Damage Service ² .
ENVIRONMENTAL, ERGONOMIC, & REGULATORY STANDARDS	Environmental Standards (eco-labels): ENERGY STAR 6.1 qualified, EPEAT Registered ⁷ , WEEE, EU RoHS ⁸ . Please see your local representative or www.dell.com for specific details. Solid state device, with no mechanical components (i.e. fan, HDD), and is able to cool itself via passive cooling of the chassis.

1. Dell ProSupport availability and terms vary by region. See dell.com/servicecontracts/global.

2. **Accidental Damage Service** excludes theft, loss, and damage due to fire, flood or other acts of nature, or intentional damage. Customer must return damaged unit. Limit of 1 qualified incident per contract year. See dell.com/servicecontracts.

3. **System memory** may be used to support graphics, depending on system memory size and other factors.

4. **Hard Drive** capacity varies with preloaded material and will be less.

5. **Limited Hardware Warranty** available by writing Dell USA LP, Attn: Warranties One Dell Way, Round Rock, TX 78682 or See dell.com/warranty.

6. Offering and availability may vary by region. Some items available after product introduction.

7. Please refer to www.epeat.net for specific country registration rating and participation

8. For a complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information <http://www.dell.com/support/home/us/en/19>

Learn More: Visit www.dell.com/wyse

Ask a Dell expert:

<https://marketing.dell.com/t2d-wyse>

Dell Cloud Client-Computing Sales

1-800-438-9973

CCC_sales@dell.com

WYSE 5060 THIN CLIENT RECOMMENDED OPTIONS & ACCESSORIES

SOFTWARE MAINTENANCE	Wyse ThinOS software maintenance 1, 2 or 3-year option
MANAGEMENT SOFTWARE	Dell Wyse Management Suite Dell Wyse Device Manager Workgroup Dell Wyse Device Manager Enterprise
DISPLAY ADAPTORS	Dell DisplayPort (DP) to HDMI 2.0 video adapter DisplayPort to Single Link DVI (1920x1200) Adapter Dell DisplayPort to VGA Adapter
MOUNTING OPTIONS	Dual VESA Mount Behind the monitor mount for 2016 E Series monitors Behind the monitor mount for 2017 P Series monitors (and select UltraSharp) Dell Dual Monitor Stand
KEYBOARDS	Dell Multimedia Keyboard-KB216 (default configuration) Dell Wireless Keyboard KM636 Dell Smartcard Keyboard KB813
MOUSE	Dell MS116 Wired Mouse Black (default configuration)
AUDIO	Dell Pro Stereo Headset UC300
SECURITY	Dell Threat Defense (Windows Embedded only) Dell Premium Keyed Lock Dell Combination Lock LC300

ESSENTIAL ACCESSORIES



Dell 24 Ultra HD 4K Monitor | P2415Q
Bring your work to life with color clarity and a variety of adjustability features



Dell Dual Monitor Stand | MDS14A
Optimize your dual monitor setup to improve productivity and reduce desktop clutter.



Behind the monitor mount for 2016 E Series monitors. Created so your thin clients can be VESA mounted to select Dell E-series displays easily and securely .



Behind the monitor mount for 2017 P Series monitors. Improves the aesthetics of your work space and frees up space on your desk.



Dell Wireless Keyboard and Mouse | KM636
Make navigation easy with this compact, slim-line keyboard with chiclet keys and a comfortable optical mouse.

Learn More: Visit www.dell.com/wyse

Ask a Dell expert:
<https://marketing.dell.com/t2d-wyse>

Dell Cloud Client-Computing Sales
1-800-438-9973
CCC_sales@dell.com